Quartet Erasettes #552 and #555 Date: 1 June 2005 Page 1 of 1

Section One:

Quartet Manufacturing Company Emergency Telephone No.: (847) 965 0600

Quartet Plaza Information Telephone No.: (847) 965 0600

5700 Old Orchand Road Date Prepared: August 13, 2001

Skokie, IL 60077

Australian Distributor:

Pelikan Quartet Poisons Information Centre: 13 11 26

91 Ashford Avenue Milperra, NSW 2214

Australia

Section Two: Hazardous Ingredients / Identity Information

Components		CAS No.	% WGT.	PEL	TWA	Source
1.	Isopropanol	67-63-0	90.83	TWA 400ppm		
2.	Ethylene Glycol Monobutylehther	111-76-2	4.16	TWA 50ppm		
3.	Sodium Lauryl Sulfate	151-21-3	0.95			
4.	Fragrance	NA	0.10			

Section Three: Physical / Chemical Characteristics

Boiling Point: Specific Gravity (H²O=1):

(1) 180F (1) .786

(2) 374F (2) .943

(3) UNK (4) NA (3) 1.04 (4) .983

Vapor Pressure (mm Hg): Melting Point:

(1) 37

(2) .02 NA

(3) NA

Vapor Density (Air=1): Evaporation Rate (Butyl Acetate = 1):

(1) 2.1 Evaporation Rate (Butyl Acetate = 1)

(2) 5.5

(4) Insoluble

(4) NA

(3) NA

Solubility in Water:

- (1) 100%
- (2) 1.5%
- (3) 100%
- (4) Insoluble

Appearance and Odor:

Off white in color with a lemon floral odor.

Section Four: Fire and Explosion Hazard Data

Flash Point (Method Used): Flammable Limits: LEL: UEL:

(1) 53F

- (2) 165F
- (3) NA
- (4) 180F

Extinguishing Media:

Water CO2 Dry Chemical, foam, and other.

Special Fire Fighting Proceudres:

Self-contained Breathering apparatus and protective clothing should be worn in fighting all chemical fires.

Unusual Fire and Explosion Hazards:

Unknown

Section Five: Reactivity Data

Stability: Condition to Avoid

Stable (X) Unstable () NA

Incompatibility (Materials to Avoid):

NA

Hazardous Decomposition or Byproducts:

Sulfur Dioxide, Hydrogen Sulfide, Carbon Dioxide, Carbon Monoxide.

Hazardous Polymerization: Conditions to Avoid

May Occur () Will Not Occur (X) NA

Section Six: Health Hazard Data

Route(s) of Entry:

Inhalation?, Skin?, and Ingestion?

Health Hazards (Acute and Chronic):

Skin: No irritation is likely to develop following short-term exposure.

Inhalation: Very slight irritation or paid to eyes or respiratory passage.

Ingestion: Amounts transferred through normal handling should not cause injury.

Carcinogenicity:

NTPA? NA, IRAC Monographs? NA OSHA Regulated? NA

Signs and Symptoms of Exposure:

Acute exposure may cause reddening irritation on contact.

Medical Conditions Generally Aggravated by Exposure:

May enhance allergic conditions in some people.

Emergency and First Aid Procedures:

Flush exposed area with water. If ingested, call a physician.

Section Seven: Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Prevent discharge to environment, ventilate area. Collect and contain spilled material.

Waste Disposal Method:

Dispose in accordance with Federal, State, and Local regulations.

Precautions to be taken in Handling and Storage:

As with all chemicals, unnecessary exposure should be avoided.

Other Precautions:

Avoid overheating and freezing.

Section Eight: Control Measures

Respiratory Protection (Specify Type):

No respiratory protection is required.

Ventilation:

Local Exhaust: Special: Mechanical (General): Other:

Protective Gloves: Eye Protection:

Wash after handling:

Other Protective Clothing or Equipment:

NA

Work/Hygienic Practices:

Wash clothing and exposed areas after handling

Section Nine: Other Information

Additional Health Information:

Products bearing the CP Certified Product Seal or the AP Approved Product Seal of the Art & Craft Materials Institute, Inc., are certified in a program of toxicological evaluation by a nationally recognized authority on toxicology associated with a leading university to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

Additional Emergency Information:

24 hour emergency information may be obtained by calling Rocky Mountain Poison Control Centre at (303) 629-1123