



Spartan Chemical Company, Inc. Material Safety Data Sheet

▼ SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):	Product Division:
HDQ NEUTRAL Product Number: 1202; 1201	Janitorial

Spartan Chemical Company, Inc.	Product/Technical Information:	1-(800)-537-8990
1110 Spartan Drive	Medical Emergency:	1-(888)-314-6171 (24 hours)
Maumee OH 43537	Chemical Leak/Spil Emergency:	CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description:	Disinfectants, liquid, n.o.s.
-----------------------	-------------------------------

NFPA Ratings:		HMIS Ratings:	
Health:	3 - Serious	Health:	3 - Serious
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

▼ SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			NTP, IARC or OSHA Carcinogen
			TWA mg/m3	STEL mg/m 3	CEILING mg/m3	

Didecyl dimethyl ammonium chloride	1-5	7173-51-5	Not Established	Not Established	Not Established	No
Alkyl dimethyl benzyl ammonium chloride	1-5	8001-54-5	Not Established	Not Established	Not Established	No
Octyl dimethyl amine oxide	1-5	2605-78-9	Not Established	Not Established	Not Established	No
Tetrasodium ethylene diaminetetraacetate	1-5	64-02-8	Not Established	Not Established	Not Established	No
Ethanol	1-5	64-17-5	1900	Not Established	Not Established	No

▼ SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	7.2-8.2	Specific Gravity (H ₂ O=1):	1.00
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	10-12
Physical State:	Liquid		

Appearance & Odor:	Non-viscous red liquid, mild citrus fragrance
--------------------	---

▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	>212 °F	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A

Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.
Unusual Fire & Explosive Hazards:	Products of combustion are toxic.

▼ **SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes & Oral
------------------------	-----------------	--------------------------	---------------------------------------

Effects of Overexposure- Conditions to Avoid:	<p>CORROSIVE: CAUSES IRREVERSIBLE EYE DAMAGE: Symptoms may include pain, redness, swelling of the conjunctiva and tissue damage. CAUSES SKIN BURNS: Symptoms may include pain, redness and tissue destruction. HARMFUL IF SWALLOWED: Symptoms may include nausea, vomiting, pain and diarrhea. INHALATION OF SPRAY MIST MAY CAUSE RESPIRATORY IRRITATION: Breathing spray mist may cause coughing and difficulty breathing. Do not get in eyes, on skin or clothing. Do not taste or swallow. Avoid inhalation of spray mist. Wash thoroughly with soap and water after handling.</p>
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.

Emergency & First Aid Procedures:

Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses after the first 5 minutes then continue rinsing eye. Get immediate medical attention.
Skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Get medical attention. Wash contaminated clothing before reuse.
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock; respiratory depression and convulsion may be needed.
Inhalation:	In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.

▼ SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO2	Hazardous Polymerization:	Will Not Occur

▼ SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Dike and contain spill with inert material (sand , earth, etc.) and transfer the liquid and solid separately to containers for recovery and disposal. Keep spill out of sewers and open bodies of water.
Waste Disposal Method:	Dispose of in compliance with all Federal, state and local laws and regulations.

▼ SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or if respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other water-proof gloves are recommended.
Eye Protection(Specify Type):	Splash goggles and/or face shield
Other Protective Equipment:	Eye wash stations and washing facilities should be readily accessible in areas where undiluted product is handled.. See 29 CFR 1910.132-138 for further guidance.

▼ SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep from freezing. Store at temperatures below 140 F. Keep containers closed until used. Do not contaminate drinking water; food or feed by storage or disposal.
Other Precautions:	Keep out of reach of children.

© SCC 2005-12-14	Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs
HDQ NEUTRAL	Effective Date:	2005-12-14	Supersedes:	2005-06-30
Ref. 29 CFR 1910.1200 (OSHA)	Changes:	Update shipping description		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.