



# HEAVY DUTY PRESPRAY

National Fire Protection Association (NFPA)	Fire Hazard		Hazardous Material Information System (HMIS)	Health	2
	Health			2	Fire Hazard
Protective Clothing		Emergency Overview	Clear Colorless. Viscous liquid. Apple-like. Odor. WARNING: CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION.	Reactivity	0

## Section 1. Chemical Product and Company Identification

Product Name	<b>HEAVY DUTY PRESPRAY</b>	Code	4266
Product Use	Industrial/Institutional: Carpet care. This product is intended to be diluted prior to use.	PMS#	433336
MSDS#	126327003	Validation Date	04/19/2000
U.S. Headquarters	Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com	Canadian Headquarters	Johnson Wax Professional 100 Matheson Blvd. East, Suite 203 Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971
		Print Date	04/20/2000
		Supersedes	04/12/2000.
		In Case of Emergency	(800) 851-7145

## Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Ethyl Alcohol	64-17-5	0.1-1	TWA: 1900 (mg/m <sup>3</sup> ) from OSHA (PEL) [United States] TWA: 1880 (mg/m <sup>3</sup> ) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 7060 mg/kg [Rat]. VAPOR (LC50): Acute: 20000 ppm 10 hours [Rat].
Diethylene Glycol Butyl Ether	112-34-5	1-5	Not available.	ORAL (LD50): Acute: 5660 mg/kg [Rat]. DERMAL (LD50): Acute: 2700 mg/kg [Rabbit].
Diocetyl Sodium Sulfosuccinate	577-11-7	5-10	Not available.	ORAL (LD50): Acute: 1900 mg/kg [Rat].
Alcohol Ethoxylates	68439-46-3	10-30	Not available.	ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Water	7732-18-5	60-100	Not available.	Not applicable.

## Section 3. Hazards Identification

Routes of Entry	Skin contact. Eye contact.
Potential Acute Health Effects	<p><i>Eyes</i> May be severely irritating to eyes.</p> <p><i>Skin</i> May be moderately irritating to skin.</p> <p><i>Inhalation</i> May be irritating to nose, throat, and respiratory tract.</p> <p><i>Ingestion</i> May be irritating to mouth, throat and stomach.</p>
Medical Conditions Aggravated by Overexposure:	Persons with pre-existing skin disorders may be more susceptible to irritating effects.
See Toxicological Information (section 11)	

**Section 4. First Aid Measures**

<b>Eye Contact</b>	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.
<b>Skin Contact</b>	Flush immediately with plenty of water. If irritation persists, get medical attention.
<b>Inhalation</b>	If breathing is difficult: Remove to fresh air. Get medical attention.
<b>Ingestion</b>	Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

**Section 5. Fire Fighting Measures**

<b>Flammability of the Product</b>	None known.
<b>Flash Points</b>	CLOSED CUP: >93°C (199.4°F).
<b>Products of Combustion</b>	None known.
<b>Fire Fighting Media and Instructions</b>	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8).
<b>Special Remarks on Fire and Explosion Hazards</b>	None known.

**Section 6. Accidental Release Measures**

<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8).
<b>Environmental Precautions and Clean-up Methods</b>	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

**Section 7. Handling and Storage**

<b>Handling</b>	Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. FOR INDUSTRIAL USE ONLY.
<b>Storage</b>	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls/Personal Protection**

<b>Engineering Controls</b>	No special ventilation requirements. General room ventilation is adequate.
<b>Personal Protection</b>	
<i>Eyes</i>	Safety glasses with side shields.
<i>Hands</i>	No special requirements under normal use conditions. For prolonged or repeated contact with skin: Neoprene gloves. Rubber gloves.
<i>Respiratory</i>	No special protective clothing is required.
<i>Feet</i>	No special protective clothing is required.
<i>Body</i>	If major exposure is possible, wear suitable protective clothing.

**Section 9. Physical and Chemical Properties**

<b>Physical State and Appearance</b>	Liquid. (Viscous)
<b>Odor</b>	Apple-like.
<b>Color</b>	Clear Colorless.
<b>pH</b>	6 to 7 [Acidic.]
<b>Specific Gravity</b>	1
<b>Boiling/Condensation Point</b>	100°C (212°F)
<b>Melting/Freezing Point</b>	0°C (32°F)
<b>Viscosity</b>	72 cP (Dynamic).
<b>Solubility in water</b>	Complete.

**Section 10. Stability and Reactivity**

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	Not available.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

**Section 11. Toxicological Information**

Acute toxicity	ORAL (LD50) Greater than 5000 mg/kg (rat). INHALATION (LC50) Greater than 120 mg/L (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	Not available.

**Section 12. Ecological Information**

Not available.

**Section 13. Disposal Considerations**

Waste Information	No special precautions. Dispose of according to all federal, state and local regulations.
-------------------	---

**Section 14. Transport Information**

DOT Classification	Not regulated
TDG Classification	Not regulated

**Section 15. Regulatory Information**

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

**Federal** CERCLA: Hazardous substances.: Ethyl Alcohol, Diethylene Glycol Butyl Ether  
**State** New Jersey spill list: Diethylene Glycol Butyl Ether  
 New Jersey: Ethyl Alcohol, Diethylene Glycol Butyl Ether  
 Massachusetts spill list: Ethyl Alcohol  
 Massachusetts RTK: Ethyl Alcohol  
 Pennsylvania RTK: Ethyl Alcohol, Diethylene Glycol Butyl Ether  
 This product is not subject to the reporting requirements under California's Proposition 65.

**Registered Product Information** Not applicable.

Canadian Regulations

**WHMIS Classification** CLASS D-2B: Material causing other toxic effects (TOXIC).

**WHMIS Icon**



**Registered Product Information** Not applicable.

**Chemical Inventory Status** All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Section 16. Other Information**

Other Special Considerations Not available.

Version 1

**Notice to Reader**

*This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*