

DOD Hazardous Materials Information System  
DoD 6050.5-L  
AS OF July 1998

FSC: 7930  
NIIN: 00F038742  
Manufacturer's CAGE: 32204  
Part No. Indicator: A  
Part Number/Trade Name: 4390 JOHNSON MULTI 15 OZ

=====  
General Information  
=====

Item Name: FURNITURE CARE  
Company's Name: S C JOHNSON & SON INC  
Company's Street: 1525 HOWE ST  
Company's P. O. Box: N/K  
Company's City: RACINE  
Company's State: WI  
Company's Country: US  
Company's Zip Code: 53403-5011  
Company's Emerg Ph #: 800-228-5635/414-631-2777  
Company's Info Ph #: 800-228-5635/414-631-2777  
Distributor/Vendor # 1:  
Distributor/Vendor # 1 Cage:  
Distributor/Vendor # 2:  
Distributor/Vendor # 2 Cage:  
Distributor/Vendor # 3:  
Distributor/Vendor # 3 Cage:  
Distributor/Vendor # 4:  
Distributor/Vendor # 4 Cage:  
Safety Data Action Code:  
Safety Focal Point: F  
Record No. For Safety Entry: 001  
Tot Safety Entries This Stk#: 001  
Status: SE  
Date MSDS Prepared: 07JAN94  
Safety Data Review Date: 08MAR95  
Supply Item Manager:  
MSDS Preparer's Name:  
Preparer's Company: S C JOHNSON & SON INC  
Preparer's St Or P. O. Box: 1525 HOWE ST  
Preparer's City: RACINE  
Preparer's State: WI  
Preparer's Zip Code: 53403-5011  
Other MSDS Number:  
MSDS Serial Number: BWVQC  
Specification Number:  
Spec Type, Grade, Class:  
Hazard Characteristic Code:  
Unit Of Issue:  
Unit Of Issue Container Qty:  
Type Of Container:  
Net Unit Weight:

Report for NIIN: 00F038742

NRC/State License Number:  
Net Explosive Weight:  
Net Propellant Weight-Ammo:  
Coast Guard Ammunition Code:

=====  
Ingredients/Identity Information  
=====

=====

Proprietary: NO  
 Ingredient: ISOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM), HYDROTREATED  
 HEAVY, NON AROMATIC HEAVY NAPHTHA) ISOPAR G  
 Ingredient Sequence Number: 01  
 Percent: 5-10  
 Ingredient Action Code:  
 Ingredient Focal Point: F  
 NIOSH (RTECS) Number: 1000047NA  
 CAS Number: 64742-48-9  
 OSHA PEL: N/K  
 ACGIH TLV: N/K  
 Other Recommended Limit: N/K

-----

Proprietary: NO  
 Ingredient: PROPANE  
 Ingredient Sequence Number: 02  
 Percent: 1-5  
 Ingredient Action Code:  
 Ingredient Focal Point: F  
 NIOSH (RTECS) Number: TX2275000  
 CAS Number: 74-98-6  
 OSHA PEL: 1000 PPM  
 ACGIH TLV: SIMPLE ASPHYXIAN  
 Other Recommended Limit: 1800 MG/CUM

-----

Proprietary: NO  
 Ingredient: BUTANE, N-BUTANE  
 Ingredient Sequence Number: 03  
 Percent: 1-5  
 Ingredient Action Code:  
 Ingredient Focal Point: F  
 NIOSH (RTECS) Number: EJ4200000  
 CAS Number: 106-97-8  
 OSHA PEL: 800 PPM  
 ACGIH TLV: 1900 MG/CUM  
 Other Recommended Limit: 800 PPM

-----

Proprietary: NO  
 Ingredient: ISOBUTANE, 2-METHYLPROPANE  
 Ingredient Sequence Number: 04  
 Percent: 1-5  
 Ingredient Action Code:  
 Ingredient Focal Point: F  
 NIOSH (RTECS) Number: TZ4300000  
 CAS Number: 75-28-5  
 OSHA PEL: 1800 MG/CUM

Report for NIIN: 00F038742

ACGIH TLV: 1000 PPM  
 Other Recommended Limit: 1000 PPM

-----

Proprietary: NO  
 Ingredient: DIMETHYL POLYSILOXANE (MONOMER: DIMETHYL SILOXANE), SILICONE  
 FLUID, DOW CORNING 200, POLYMETHYLSILOXANE  
 Ingredient Sequence Number: 05  
 Percent: 1-5  
 Ingredient Action Code:  
 Ingredient Focal Point: F  
 NIOSH (RTECS) Number: JT6484500

CAS Number: 63148-62-9  
 OSHA PEL: N/K  
 ACGIH TLV: N/K  
 Other Recommended Limit: N/K

-----  
 Proprietary: NO  
 Ingredient: WATER  
 Ingredient Sequence Number: 06  
 Percent: 70-85  
 Ingredient Action Code:  
 Ingredient Focal Point: F  
 NIOSH (RTECS) Number: ZC0110000  
 CAS Number: 7732-18-5  
 OSHA PEL: N/K  
 ACGIH TLV: N/K  
 Other Recommended Limit: N/K

=====

Physical/Chemical Characteristics

=====

Appearance And Odor: OFF-WHITE, DISPENSED AS A SPRAY MIST W/CHARACTERISTIC ODOR  
 Boiling Point: N/R  
 Melting Point: N/R  
 Vapor Pressure (MM Hg/70 F): N/K  
 Vapor Density (Air=1): N/K  
 Specific Gravity: 0.9  
 Decomposition Temperature: N/K  
 Evaporation Rate And Ref: N/K  
 Solubility In Water: COMPLETE  
 Percent Volatiles By Volume: N/K  
 Viscosity:  
 pH: N/R  
 Radioactivity:  
 Form (Radioactive Matl):  
 Magnetism (Milligauss):  
 Corrosion Rate (IPY): N/K  
 Autoignition Temperature:

=====

Fire and Explosion Hazard Data

=====

Flash Point: <20F PROPELLANT  
 Flash Point Method: N/P

Report for NIIN: 00F038742

Lower Explosive Limit: N/R  
 Upper Explosive Limit: N/R  
 Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG  
 Special Fire Fighting Proc: FIGHT FIRE FROM MAXIMUM DISTANCE/PROTECTED AREA. COOL & USE CAUTION WHEN APPROACHING/HANDLING FIRE EXPOSED CONTAINERS. WEAR SCBA & PROTECTIVE CLOTHING.  
 Unusual Fire And Expl Hazrds: FLAMMABLE, AEROSOL PRODUCT-CONTAINERS MAY ROCKET/EXPLODE IN HEAT OF FIRE.

=====

Reactivity Data

=====

Stability: YES  
 Cond To Avoid (Stability): OPEN FIRE, FLAMES, HEAT, TEMPS >120F, OTHER IGNITION SOURCES, FREEZING  
 Materials To Avoid: NO SPECIAL REQUIREMENTS  
 Hazardous Decomp Products: NO SPECIAL REQUIREMENTS

Hazardous Poly Occur: NO  
 Conditions To Avoid (Poly): N/R

=====  
 Health Hazard Data  
 =====

LD50-LC50 Mixture: ORAL LD50(RAT): >5000 MG/KG  
 Route Of Entry - Inhalation: YES  
 Route Of Entry - Skin: NO  
 Route Of Entry - Ingestion: NO  
 Health Haz Acute And Chronic: EYES: MILD IRRITATION. SKIN: PROLONGED/  
 REPEATED CONTACT MAY CAUSE MILD IRRITATION. INHALATION: IRRITATION TO NOSE,  
 THROAT & RESPIRATORY TRACT. INGESTION: ASPIRATION INTO THE LUNGS MAY CAUSE  
 SEVERE HEALTH EFFECTS.  
 Carcinogenicity - NTP: NO  
 Carcinogenicity - IARC: NO  
 Carcinogenicity - OSHA: NO  
 Explanation Carcinogenicity: NONE  
 Signs/Symptoms Of Overexp: IRRITATION  
 Med Cond Aggravated By Exp: N/K  
 Emergency/First Aid Proc: EYES: FLUSH IMMEDIATELY W/WATER FOR 20 MINS.  
 SKIN: WASH W/WATER & SOAP. INHALATION: REMOVE TO FRESH AIR. INGESTION:  
 DRINK 1-2 GLASSES OF WATER/MILK. DON'T INDUCE VOMITING. OBTAIN MEDICAL  
 ATTENTION IN ALL CASES.

=====  
 Precautions for Safe Handling and Use  
 =====

Steps If Matl Released/Spill: ELIMINATE ALL IGNITION SOURCES. ABSORB W/  
 OIL-DRI/SIMILAR INERT MATERIAL. SWEEP/SCRAPE UP & CONTAINERIZE. RINSE AREA  
 THOROUGHLY W/WATER.  
 Neutralizing Agent: N/K  
 Waste Disposal Method: RECYCLE EMPTY AEROSOL CAN TO NEAREST STEEL  
 RECYCLING CENTER. USE UP PACKAGE/GIVE TO SOMEONE WHO CAN. DON'T PUNCTURE/  
 INCINERATE. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.  
 FLAMMABLE UN 1950.  
 Precautions-Handling/Storing: STORE IN A COOL, DRY PLACE W/ADEQUATE  
 VENTILATION. KEEP FROM FREEZING. DON'T USE NEAR OPEN FIRE/FLAMES/HEAT.  
 DON'T PUNCTURE/INCINERATE.

Report for NIIN: 00F038742

Other Precautions: DON'T STORE AT TEMPS >120F. KEEP AWAY FROM HEAT. DON'T  
 SPRAY/USE ON FLOORS. KEEP OUT OF REACH OF CHILDREN. DON'T PRESSURIZE/CUT/  
 HEAT/WELD/EXPOSE CONTAINER TO FLAME; EXPLOSION COULD OCCUR. AVOID  
 PROLONGED/REPEATED BREATHING OF VAPORS.

=====  
 Control Measures  
 =====

Respiratory Protection: NONE REQUIRED UNDER NORMAL USE CONDITIONS.  
 Ventilation: GENERAL ROOM ADEQUATE  
 Protective Gloves: NO SPECIAL REQUIREMENTS  
 Eye Protection: NO SPECIAL REQUIREMENTS  
 Other Protective Equipment: NO SPECIAL REQUIREMENTS  
 Work Hygienic Practices: N/K  
 Suppl. Safety & Health Data: INTENTIONAL MISUSE BY DELIBERATELY  
 CONCENTRATING & INHALING THE CONTENTS CAN BE HARMFUL/FATAL.

=====  
 Transportation Data  
 =====

Transportation Action Code:  
 Transportation Focal Point:  
 Trans Data Review Date:

DOT PSN Code:  
 DOT Symbol:  
 DOT Proper Shipping Name:  
 DOT Class:  
 DOT ID Number:  
 DOT Pack Group:  
 DOT Label:  
 DOT/DoD Exemption Number:  
 IMO PSN Code:  
 IMO Proper Shipping Name:  
 IMO Regulations Page Number:  
 IMO UN Number:  
 IMO UN Class:  
 IMO Subsidiary Risk Label:  
 IATA PSN Code:  
 IATA UN ID Number:  
 IATA Proper Shipping Name:  
 IATA UN Class:  
 IATA Subsidiary Risk Class:  
 IATA Label:  
 AFI PSN Code:  
 AFI Symbols:  
 AFI Prop. Shipping Name:  
 AFI Class:  
 AFI ID Number:  
 AFI Pack Group:  
 AFI Label:  
 AFI Special Prov:  
 AFI Basic Pac Ref:  
 MMAC Code:  
 N.O.S. Shipping Name:  
 Additional Trans Data:

Report for NIIN: 00F038742

=====

Disposal Data

=====

Disposal Data Action Code:  
 Disposal Data Focal Point:  
 Disposal Data Review Date:  
 Rec # For This Disp Entry:  
 Tot Disp Entries Per NSN:  
 Landfill Ban Item:  
 Disposal Supplemental Data:  
 1st EPA Haz Wst Code New:  
 1st EPA Haz Wst Name New:  
 1st EPA Haz Wst Char New:  
 1st EPA Acute Hazard New:  
 2nd EPA Haz Wst Code New:  
 2nd EPA Haz Wst Name New:  
 2nd EPA Haz Wst Char New:  
 2nd EPA Acute Hazard New:  
 3rd EPA Haz Wst Code New:  
 3rd EPA Haz Wst Name New:  
 3rd EPA Haz Wst Char New:  
 3rd EPA Acute Hazard New:

=====

Label Data

=====

Label Required: YES

Technical Review Date:  
Label Date:  
MFR Label Number:  
Label Status: G  
Common Name: 4390 JOHNSON MULTI 15 OZ  
Chronic Hazard: N/P  
Signal Word:  
Acute Health Hazard-None:  
Acute Health Hazard-Slight:  
Acute Health Hazard-Moderate:  
Acute Health Hazard-Severe:  
Contact Hazard-None:  
Contact Hazard-Slight:  
Contact Hazard-Moderate:  
Contact Hazard-Severe:  
Fire Hazard-None:  
Fire Hazard-Slight:  
Fire Hazard-Moderate:  
Fire Hazard-Severe:  
Reactivity Hazard-None:  
Reactivity Hazard-Slight:  
Reactivity Hazard-Moderate:  
Reactivity Hazard-Severe:  
Special Hazard Precautions: EYES: MILD IRRITATION. SKIN: PROLONGED/  
REPEATED CONTACT MAY CAUSE MILD IRRITATION. INHALATION: IRRITATION TO NOSE,  
THROAT & RESPIRATORY TRACT. INGESTION: ASPIRATION INTO THE LUNGS MAY CAUSE  
SEVERE HEALTH EFFECTS. IRRITATION

Report for NIIN: 00F038742

Protect Eye:  
Protect Skin:  
Protect Respiratory:  
Label Name: S C JOHNSON & SON INC  
Label Street: 1525 HOWE ST  
Label P.O. Box: N/K  
Label City: RACINE  
Label State: WI  
Label Zip Code: 53403-5011  
Label Country: US  
Label Emergency Number: 800-228-5635/414-631-2777  
Year Procured: